

# Kia Tasman



Movement that inspires



May 2026

Overseas Model Shown

# Drive into a new dimension

A new dimension in off-road capability, a new dimension in space and versatility and a new dimension in refinement.

From work to play, the Kia Tasman combines everything you want in a ute and more.



Movement that inspires





Overseas Model Shown

# Built for uphill battles

**Tasman is Kia's first ute, but it's not our first rodeo.**

We've been building some of the world's toughest military vehicles since 1973, so when we designed the Tasman, we put all of that experience into ensuring it was fit for purpose and ready for any challenge.



Tasman prototypes endured 18,000 rounds of stress testing on some of the world's most punishing terrain, from desert dunes in Dubai, to hill climbing in California and extreme off roading in Australia.

The Tasman passed its deep water wading trials in the same test facility where we put our military vehicles through their paces.



Overseas Model Shown



Overseas Model Shown



Towing Capacity

3,500kg

2.2L T Diesel

154

Max. power  
kW/3,800 rpm

440

Max. torque  
Nm / 1,750-2,750 rpm

Overseas Model Shown

## Power and Control

At the heart of the Tasman is a powerful 2.2L turbo diesel, paired with a smooth 8-speed automatic transmission delivering 154kW of power and 440Nm of torque.

With up to 1,000kg payload, a braked towing capacity of 3,500kg and a 350kg tow ball mass rating, the Tasman is a serious towing machine.

The integrated trailer brake control automatically applies the trailer brakes, allowing you to fine-tune the braking force at the touch of a button\*.

\*Only applies to trailers with electric brakes.



Overseas Model Shown



Overseas Model Shown



# Work smarter

The Tasman is packed with innovative features, both within its industry leading cabin and bold exterior design. Specifically engineered to make work and life easier.



Overseas Model Shown

Underseat Storage



\*Exclusive to TXS, X-Line & X-Pro.  
\*\*Not available with Body Coloured Fender Flares.

Overseas Model Shown

Side Storage



Overseas Model Shown

Exterior Step



\*Exclusive to TXS, X-Line & X-Pro

Overseas Model Shown

240V Power Plug



Overseas Model Shown

# Smart Safety

The Tasman protects both your passengers and pedestrians with advanced safety features, including 7 airbags, autonomous emergency braking, adaptive cruise control, lane assistance, blind spot view monitor\*.

\*Exclusive to X-Line & X-Pro



Overseas Model Shown

# Fully loaded

Step up to a new level of refinement and technology with dual 12.3" touchscreens and twin wireless phone charging\*\*.

Optional features include heated and ventilated 8-way power seats\* and dual-zone climate control. Rear passengers enjoy class-leading legroom with sliding and reclining seats\*\*\*.


\*Ventilated Front Seats exclusive to X-Pro

\*\*Dual Wireless Phone Chargers on X-Line & X-Pro, Single Wireless Phone Charger on TXS

\*\*\*Sliding & Reclining 2nd Row Seats on X-Line & X-Pro



Overseas Model Shown



Overseas Model Shown



Overseas Model Shown

# Fit for purpose

From a flatbed workhorse to a double-cab wellside for family adventures, here's a Tasman configuration for work, play and everything in between.

**Endlessly practical. Infinitely configurable.**



Double Cab Wellside



Single Cab Chassis



Double Cab Chassis



# Kia Connect\*

## Stay connected to what matters.

Kia Connect is your gateway to a smarter, more connected drive, seamlessly linking your Tasman to your phone.

\*Kia Connect Functions may vary by Trim. TX 2WD & TX 4WD fitted with Kia Connect Lite. TXS, TXR, X-Line & X-Pro fitted with Kia Connect Full.



### Remote Control

Lock or unlock doors, start the engine, and set the perfect temperature—all before you step inside the Tasman. With Kia Connect, control is always in your hands, right from your phone.



### Over-the-Air (OTA) Update

With Over-the-Air (OTA) updates, your vehicle's software, navigation, and features stay current. Enjoy the latest features and performance improvements. Stay on track with updated routes and points of interest for a smoother journey - all without visiting the dealership.



### Remote Vehicle Management

Monitor your Tasman's status anytime, from anywhere. Kia Connect provides updates and maintenance alerts, so you're always ready for the road.



### Emergency call

In case of an accident where the airbag is deployed, this feature will automatically contact the Kia Connect 24/7 call centre for your safety. The dedicated SOS button allows you to call the centre yourself if necessary.



### Safety & Security

Stay protected with intelligent safety alerts and features, designed to keep you and your loved ones secure.

# Your Tasman your way.

Kia Approved Tasman accessories are custom designed for the Tasman by New Zealand's leading auto accessory manufacturers.

The accessories displayed on the following pages are applicable to the latest vehicle model year. See your Kia dealer for further information.



# UTEMASTER

Utemaster believes your gear should never let you down. That's why "Strong Bones" isn't just a catchphrase; it's the engineering philosophy behind the entire Utemaster range.



## UTEMASTER LOAD LID™

Designed for the Tasman, the LOAD LID™ is an premium, multifunction tray cover built for heavy loads in harsh conditions. Designed with a unique knurled handle for superior grip and easier operation.



### UTEMASTER LOAD LID™ Side rails

Side rails on the LOAD LID™ turn your Tasman into a true work-and-play platform—secure loads with ease or mount adventure gear.



### UTEMASTER LOAD LID™ Central Locking

Heavy-duty remote security that gives you the confidence of knowing your gear is secure and protected wherever you go.



### UTEMASTER LOAD LID™ Cross Bars

LOAD LID™ Cross Bars integrate seamlessly with the side rails for easy access and reduced wind drag. 15kg Gas Stay Upgrade required.



### UTEMASTER LOAD LID™ Tool Mount Kit

Tool Mounting Kits clip straight onto the side rails, keeping gear secure, organised, and ready to go.



### UTEMASTER LOAD LID™ Bike Carrier

LOAD LID™ bike mounting keeps your gear safe in the tray with your bikes locked on top. Available in frame or fork mounted configurations. Requires gas strut upgrade.



### UTEMASTER LOAD LID™ Ladder Rack

An easy to attach rack for ladders and long loads. Height adjustable from 500mm to 632mm. Designed to match roof rack ratings of 70-100kgs.



## UTEMASTER CENTURION CANOPY™

The ultimate setup for work or play. Extra-large side doors give you complete access to your gear while Utemaster's Bandit Proof Locking System keeps it safe. This canopy can take up to 600kg stationary load and bolts to the tub's load points, for maximum strength.



### UTEMASTER CENTURION CANOPY™ Dog Vent Kit

Keeps your best friend cool and comfortable, delivering light and steady airflow without compromising on the security of the side doors.



### UTEMASTER CENTURION CANOPY™ Positive Pressure Vent

Forces clean air in and dust out, keeping your canopy interior cleaner and gear protected in tough conditions.



### UTEMASTER CENTURION CANOPY™ MuleTec Tub Panels

Built on military MOLLE technology, Mule-Tek panels turn your tub walls into a mount for fire extinguishers, tools and adventure gear.



### UTEMASTER CENTURION CANOPY™ Front Wall Mounting Panel

Mount tools, inverters and power systems to the front wall of the CENTURION CANOPY™ fast, clean and easy.



### UTEMASTER CENTURION CANOPY™ Removable Shelving

Mounted to the ceiling using a no-drill T-Track system. Precut holes allow for easy shelf height adjustment.



### UTEMASTER CENTURION CANOPY™ Cantilever Roof Rack 200kg

Rated to a 200kg the Cantilever Rack extends over the cab making it flex free. Hex-shaped tie-down points ensure straps sit firmly in place to secure long loads.

# UTEMASTER



## UTEMASTER TRAILCORE FLAT DECK & CANOPY

A premium alloy flat deck and canopy combination that delivers strength, precision, and versatility for those who demand absolute performance on the job or off the grid. Featuring a full-length under deck drawer with an arsenal of accessory and configuration options to create anything; from a rugged workhorse to a full-blown expedition Tasman.



### REAR TOOLBOXES OR WATERTANK

The TRAILCORE flat deck features integrated storage bays for secure tool storage or an onboard water supply.



### CANOPY

A fully integrated canopy system offering superior protection, security and configurability for service, trade or touring applications.



Founded in 1975, ARB is one of Australasia's largest manufacturers and distributors of 4x4 accessories, focusing on quality, reliability, and practicality above all else.



**SUMMIT MKII  
BULL BAR**

Provides maximum protection and front end coverage and is fully compatible with the Tasman's ADAS Advanced Driver Assist Safety Systems.

The fog light design includes a plug and play sequential indicator, clearance light, daytime running light and fog light in one unit.



**SUMMIT MKII  
SIDE RAILS AND  
PROTECTION STEPS**

Defend your doors, side sills and quarter panels from off-road hazards while improving vehicle access. Made from high-strength tubular steel, the attachment system connects the side rail to the bumper. For those that do not require the side rails, a standalone protection step can be fitted.



**BTC CANOPY**

A fibreglass canopy with side-opening glass or aluminium doors that provide unobstructed access to your wellside.

Roof rack tracks allow for easy rack fitting and repositioning. Supports 100kg dynamic and up to 350kg static weight.



**BTC CANOPY & CAB ROOF CROSS BARS**

A high strength, flat profile, through-style bar for offroad, trade and everyday use. Features 21mm accessory T-slot and tie-down points. Same Key System (SKS) Locks included.



**BTC CANOPY  
Vent**

This slimline vent pressurises the interior of the canopy, preventing dust from entering through the rear door or tailgate.



Designed in collaboration with Kia, HSP genuine Tasman accessories are engineered from the ground up to integrate with the Tasman's electronics and geometry.



### HSP Electric Roll R Cover

A power-operated, remote-controlled cover with interlocking aluminium slats for superior water protection. The ultimate in security and convenience in Mannix black premium finish.



### HSP Load Slide Studio

Your mobile workbench pulls out to 75% beyond the tray and supports up to 250kg when fully extended. With an anti-slip surface, heavy-duty sub-frame and custom-cut side rails that integrate seamlessly with HSP Load Bars.



### Armour Sports Bar

Corrosion resistant alloy construction with a middle curve extension that increases mounting options for accessories. Integrates with the HSP electric Roll R Cover or can be mounted directly onto the tub.



### HSP Load Rack Pro

A fully adjustable heavy duty alloy ladder rack with 150kg dynamic and 300kg static weight capacity. Featuring universal accessory compatibility, 16 integrated channels and up to 140 tie-down points. Load rack Pro can be integrated with the Roll R Cover or mounted directly on the tub.



### HSP Load Rack Junior

This fully adjustable alloy ladder rack can be extended from 185mm to 260mm with 150kg dynamic and 300kg static weight capacity. Integrates with Roll R Cover or can be mounted directly on the tub.



### HSP Load Bar

A dedicated roll-top rack with a durable, full-metal leg base and heavy-duty crossbars with integrated channels. Supports up to 80kg dynamic and 200kg static load.



### HSP Roll Mate

The HSP Roll Mate is a lockable hard-top tonneau cover with a roll-up, cut-resistant design. It frees up tub space and provides secure, flexible cargo protection without the bulk of a hard lid.



# FULLY EQUIPPED

Fully Equipped brings together some of the biggest names in ute accessories with a range made to get the best from your Tasman.



## FULLY EQUIPPED CROWN CANOPY

Engineered from a single fibreglass shell, the Crown Canopy has a frameless 100kg dynamic load rating. Finished in durable hi-gloss to perfectly match your Tasman.



## FULLY EQUIPPED CROWN CANOPY WINDOW OPTIONS

Total flexibility with the choice of lifting, sliding, fixed or mesh.



## FULLY EQUIPPED TWIN DRAWER SYSTEM

Galvanised steel drawers that glide on anti-rattle runners. Each drawer carries up to 100kg, keeping tools organised and out of sight.

## FULLY EQUIPPED BEDSLIDE TRAY

Turn your tub into a heavy-duty, full-width drawer. With a 450kg load rating and secure locking, the Bedside Tray makes loading and unloading fast and efficient.



## FULLY EQUIPPED LAMSON SHELVING

Made in NZ from high strength polypropylene, Lamson shelves are durable and oil resistant. The Lamson system uses plastic storage bins to keep your tools organised, visible and secure with easy access.



## FULLY EQUIPPED ROLA TITAN TRAY WITH RIDGEMOUNT

A versatile modular alloy platform featuring integrated tie-down channels, adjustable plank spacing, and corner entry points.



MAXIM hard lids and towbars are engineered to meet the demands of today's ute owner - from tradies to outdoor adventurers.



### HARD LIDS

A tough, lockable design that keeps your gear protected at all times. The lid can be removed in just 30 seconds when you need full bed access. Maxim lids fit HSP Sports Bars to add extra functionality and style.



### LID RAILS

Maxim Lid Rails turn your lid into a load platform, with perfectly spaced slots for securing all types of gear adding versatility without compromising access.



### HARD LID CENTRAL LOCKING

The central locking upgrade offers extra convenience along with peace of mind and security.



### UNDER VEHICLE PROTECTION (UVP)


Maxim UVP kits take protection to the next level, shielding critical components, from the engine and drivetrain to the fuel tank. Built from tough alloy for extra confidence when the going gets rough.



### SIDE STEPS

**UrbanTread**  
Side steps proving easy access while protecting the lower panels with a clean integrated look for everyday life.

**BushTread**  
Side steps ready for the farm or building site, pipe style design provides extra strength and grip for any work environment.



### TOWBAR

Purpose built Tasman towbars to deliver on all your needs with two options.

- Heavy Duty Removable tongue towbar with rated recover points.
- Fixed Tongue towbar for fleet and farm duty

Max Braked	3500kg
Max Unbraked	750kg
Max Tongue Load	350kg
Max GCW	6200kg



Strong and durable, MAXIM Canopies are designed specifically for the Kia Tasman.



**ALLOY CANOPY**

The Maxim Alloy Canopy delivers durability, security, and everyday usability. With three gullwing doors for full access.



**CANOPY ROOF RAILS**

Perfect for long or oversized loads, letting you safely transport ladders, timber, or adventure gear with confidence.



**CANOPY CENTRAL LOCKING**

Click and walk away. The central locking upgrade offers extra convenience along with peace of mind and security.



**FULL-TIME REAR VIEW CAMERA**

Add the full-time rear view camera to your Maxim canopy to improve safety when towing or reversing.



Gibbons Engineering is one of NZ's leading ute deck and commercial trailer manufacturers, backed by 30 years of quality and innovation. All decks support the full range of factory Kia ADAS safety systems giving you confidence with protection.



**SINGLE CAB - GALVANISED WITH 18MM TRANSTEX DECK**

Hot-dipped galvanised steel frame with an 18mm Transtex deck and stained plywood sides. Optional body colour or pressed alloy inserts on gates. Also available in black powder-coated finish.



**DOUBLE CAB - GALVANISED WITH 18MM TRANSTEX DECK**

Hot-dipped galvanised steel frame with an 18mm Transtex deck and stained plywood sides. Optional body colour or pressed alloy inserts on gates. Also available in black powder-coated finish.



**H-RACK ON BACK CORNERS TO MATCH HEADBOARD**

The rear H-Rack adds serious carrying capability for long loads like ladders and timber.



**UNDER TRAY STORAGE**

Free up tray space and keep tools organised and out of sight with a locking underbody sliding draw and toolboxes mounted behind the rear wheels.



Kiwi made and trusted for over 70 years, Loadmaster decks are engineered for local conditions, delivering performance you can count on every day.



**SINGLE CAB - GALVANISED**

A classic heavy-duty deck for tradies and farmers. Available with ebony stained pine timber decking, Trans-Tex 220 non-slip decking or kwila hardwood decking. Side options include stained plywood, body colour, Trans-Tex 220 or pressed alloy gate inserts.



**DOUBLE CAB - GALVANISED**

This galvanised deck with color matched gates and toolbox lid gives you the space to tackle demanding jobs. Options include customisable deck surfaces, H-Rack slots and gate finishes.



**ELECTRIC TIPPER DECK CONVERSION - REMOTE**


Turn your Tasman into a remote-controlled tipper for fast, safe, and effortless unloading.



**TOOLBOX**  
Premium underdeck toolboxes in stainless, powder coated or colour-matched finishes.



**UNDER DECK DRAWER**  
A full-length 1650mm, lockable under-deck drawer keeps tools secure, dry and easy to access.



**ROPE RINGS**  
Heavy-duty tie-down points in high-strength stainless steel rated to 2500kg or standard rings rated to 600kg.



**H-RACK**  
A removable H-Rack in galvanised powder-coated steel for long or oversized loads.



**SMART WASH TANK**  
Keep your hands, and equipment clean no matter where the job takes you.

# Kia Bull Bars


Robust front-end protection from impacts and debris. Engineered for a precise fit and off-road durability while adding rugged, integrated styling.\*

\* Fitting the factory bull bars come with amended ADAS features. Seek advise from your local dealer for more information.



## FULL BULL BAR

Maximum protection and front-end coverage. Integrated with vehicle systems with a factory-level fit and finish.



## SINGLE HOOP BULL BAR

Provides enhanced protection by reinforcing key impact zones with a clean, integrated look.



## BUMPER REPLACEMENT BULL BAR

Purpose-built, heavy-duty frontal protection. Designed for superior strength, improved off-road clearance and seamless integration.



# Kia Core Accessories

Complete your Tasman setup with purpose-built accessories.



## DEEP DISH MATS

Precision-moulded for maximum containment and durability. Single or double cab sets available.



## RUBBER MATS

Double Cab. Heavy-duty rubber mats for durability, grip, and protection.



## PREMIUM CARPET MATS

Single or double cab sets available.



## INTEGRATED DUAL PLATFORM SIDE STEPS

Premium factory designed steps.



## SEAT COVERS

Commercial-grade high strength canvas.



## WEATHER SHIELDS

Available in smoke and matte black.



## BONNET GUARD

Available in smoke and matte black.



## HEADLAMP PROTECTORS

Prevent stone chips from damaging your headlamps.



## SNORKEL

Precision moulded for enhanced wading performance.



## SOFT TONNEAU COVER

UV resistant marine grade vinyl for weather protection & security.



## ROOF RACKS

Variety of designs to suite your needs, heavy duty or quiet.

# Wheels



17-inch steel wheel TX



17-inch alloy wheel TXR



17-inch alloy wheel X-Pro



18-inch alloy wheel TXS, X-Line



# Colours

TX, TXR, TXS, X-Line, X-Pro



Aurora Black Pearl (ABP)\*



Cityscape Green (CGE)\*



Clear White (UD)\*\*



Denim Blue (DNB)\*



Interstellar Gray (AGT)\*



Steel Gray (KLG)\*



Tan Beige (TAM)\*\*

\*Subject to Change without notice. \*\*Colour-coded wheel arches optional.

# Tasman Wellside

## Dimensions & Specifications



# Dimensions



Leg Room (mm)	1 <sup>st</sup> row	1,052
	2 <sup>nd</sup> row	Fixed Seats: 915 / Slide & Recline Seats: 940~830
Head Room (mm)	1 <sup>st</sup> row	1,044
	2 <sup>nd</sup> row	1,004
Shoulder Room (mm)	1 <sup>st</sup> row	1,522
	2 <sup>nd</sup> row	1,516
Cargo Bed Space (mm) (with / without bedliner)	Length (lower)	1,512 / 1,573
	Width (max)	1,572 / 1,600
	Width (wheelhouse)	1,186 / 1,194
	Height	540 / 543
	Capacity (ℓ, VDA)	1,173 / 1,212
Minimum Ground Clearance	TX, TXR & TXS / X-Line / X-Pro	206 / 224 / 252





# Specifications <sup>x</sup>

## Kia Tasman - Wellside

Subject to Change

**Specifications key:**  
 ● = included  
 - = not included



	TX 2WD	TX 4WD	TXR 4WD	TXS 4WD	X-LINE 4WD	X-PRO 4WD
<b>MECHANICAL</b>						
Engine	SmartStream In-line 4 Cyl. 2.2CRDi (Common Rail Turbo Diesel)					
Displacement (cc)	2,151 cc					
Compression Ratio	16.0 : 1					
Max. Power (kW @ rpm)	154 kW @ 3,800 rpm					
Max. Torque (Nm @ rpm)	440 Nm @ 1,750 - 2,750 rpm					
Fuel Consumption (L/100km) - 3P-WLTP Converted	8.5L / 100km		8.7L / 100km		9.0L / 100km	9.3L / 100km
CO2 Emissions (g/km) - 3P-WLTP Converted	225g / km		230g / km		237g / km	245g / km
<b>TRANSMISSION</b>						
Gearbox	8 Speed Automatic (Torque Converter)					
Shift Controller Type	Conventional Gear Shifter			Column-Mounted e-Shift 'Shift-By-Wire' (SBW)		
Drivetrain	Two Wheel Drive (2WD)	Four Wheel Drive (4WD) with selectable 2H (2WD High), 4H (4WD High), 4A (4WD 'Auto'), 4L (4WD Low Range Gear)				
Mechanical Locking Differential (m-LD)	-	●	●	●	●	-
Electromechanical Locking Differential (e-LD)	-	-	-	-	-	●
Drive Mode Select System (DMS)	●	●	●	●	●	●
Terrain Mode Select - Snow / Sand / Mud	-	●	●	●	●	-
Terrain Mode Select - Snow / Sand / Mud / Rock	-	-	-	-	-	●
X-TREK Mode (Low Speed Offroad Cruise Control 'Crawl' Mode)	-	-	-	-	-	●
<b>SUSPENSION</b>						
Front Suspension	Double Wishbone Independent Suspension					
Rear Suspension	Rigid Leaf Spring & Solid Beam Axle					
<b>WHEELS &amp; TYRES</b>						
Tyres Size / Type	265/65 R17 Kumho H/T			265/60 R18 Kumho H/T		265/70 R17 Hankook A/T
Wheels Size / Type	 17" Steel	 17" Alloy	 18" Alloy	 17" Alloy (Black)		
Tyre Pressure Monitoring System (TPMS)	●	●	●	●	●	●
Spare Wheel Type	Full Size Steel			Full Size Alloy		Full Size Alloy
Braking System	325 mm Ventilated Front Discs & 325 mm Ventilated Rear Discs					
Electronic Parking Brake with Auto Hold	●	●	●	●	●	●
<b>STEERING</b>						
Steering System	Column-mounted Motor Driven Power Steering (C-MDPS)					
Minimum Turning Radius	6.17 m				6.25 m	
Steering Wheel Adjustment	Tilt and Telescopic					

# Specifications (continued)

## Kia Tasman - Wellside

Subject to Change

**Specifications key:**

- = included
- = not included



	TX 2WD	TX 4WD	TXR 4WD	TXS 4WD	X-LINE 4WD	X-PRO 4WD
<b>SAFETY FEATURES</b>						
Safety Rating		5★ ANCAP Safety Rating (2025 stamp)			Unrated	
Anti-lock Braking System (ABS)	●	●	●	●	●	●
Electronic Stability Control (ESC)	●	●	●	●	●	●
Multi Collision Brake (MCB)	●	●	●	●	●	●
Trailer Stability Assist (TSA)	●	●	●	●	●	●
Integrated Trailer Brake Controller (i-TBC)	●	●	●	●	●	●
Hill Start Assist Control (HAC)	●	●	●	●	●	●
Hill Descent Control (DBC)	●	●	●	●	●	●
Emergency Stop Signal (ESS)	●	●	●	●	●	●
Forward Collision Avoidance Assist (FCA) - Car/Pedestrian/Cyclist/Junction	●	●	●	●	●	●
Blind Spot Collision Avoidance Assist (BCA)	●	●	●	●	●	●
Rear Cross Traffic Collision Avoidance Assist (RCCA)	●	●	●	●	●	●
Lane Keep Assist System (LKAS)	●	●	●	●	●	●
Lane Follow Assist (LFA)	●	●	●	●	●	●
Blind Spot View Monitor (BVM)	-	-	-	-	●	●
Parking Collision Avoidance Assist (PCA) - Reverse	-	-	-	-	●	●
e-Call (SOS Call) function	●	●	●	●	●	●
Highway Driving Assist (HDA)	-	-	●	●	●	●
Driver Attention Alert (DAA) with Driver In Cabin Status Monitor - Camera	●	●	●	●	●	●
Manual Speed Limit Assist (MSLA)	●	●	●	●	●	●
Intelligent Speed Limit Assist (ISLA)	●	●	●	●	●	●
High Beam Assist (HBA)	●	●	●	●	●	●
Front Driver and Passenger Airbags	●	●	●	●	●	●
Front Side Airbags	●	●	●	●	●	●
Curtain Airbags (1st and 2nd row)	●	●	●	●	●	●
Front Centre Side Airbag	●	●	●	●	●	●
Front Seat Pretensions with Load Limiters	●	●	●	●	●	●
3-Point ELR Seatbelts on all seats	●	●	●	●	●	●
Seatbelt Reminders for all seats	●	●	●	●	●	●
Child Restraint Anchorage Points (2x Top Tether & 2x ISOFIX / i-Size)	●	●	●	●	●	●
Safe Exit Warning (SEW)	●	●	●	●	●	●
Rear Seat Occupant Alert	●	●	●	●	●	●
Speed Sensing Auto Door Lock	●	●	●	●	●	●
Manual Child Safety Rear Door Locks	●	●	●	●	●	●
Engine Immobiliser	●	●	●	●	●	●
Parking Sensors			Front & Rear		Front, Side & Rear	
Rearview Camera with Dynamic Guidelines	●	●	●	●	●	●
Surround View Monitor (SVM)	-	-	-	-	●	●
Remote Smart Park Assist (RSPA)	-	-	-	-	●	●

# Specifications (continued)

## Kia Tasman - Wellside

Subject to Change

**Specifications key:**

- = included
- = not included



	TX 2WD	TX 4WD	TXR 4WD	TXS 4WD	X-LINE 4WD	X-PRO 4WD
<b>EXTERIOR FEATURES</b>						
LED Headlights (MFR Type)	●	●	●	●	-	-
LED Headlights (Projection Type)	-	-	-	-	●	●
Auto Light Control	●	●	●	●	●	●
LED Daytime Running Lights (DRL)	●	●	●	●	●	●
LED Combination Taillights	●	●	●	●	●	●
LED Front Fog Lights	-	-	-	●	●	●
LED Rear Fog Lamps	●	●	●	●	●	●
Front & Rear Side Indicators	Halogen Bulb Type			LED Type		
Tailgate Mounted Stop Light	●	●	●	●	●	●
Roof Rails (Bridge Type)	-	-	-	-	●	●
Side Mirror Folding Function	Manual Folding			Electric Folding		
Electrically Adjustable Side Mirrors with Heated function	●	●	●	●	●	●
Outside Mirror Puddle Lamp	-	-	-	-	●	●
Body Coloured Exterior Door Handles	●	●	●	●	●	●
Front and Rear Mudguards	-	-	-	●	●	●
Side Door Garnish	-	-	-	●	●	●
Body Coloured Fender Flares (Clear White & Tan Beige Exterior Colours only)	\$220			\$220		
Right Rear In-Fender Storage (6.3L Capacity)	-	-	-	-	● (Not available when choosing the optional body coloured fender flares)	● (Not available when choosing the optional body coloured fender flares)
Rear Bumper Corner Step	●	●	●	●	●	●
Rear Tailgate with Lift Assistance	●	●	●	●	●	●
Rear Tray Bed Liner	-	-	-	●	●	●
Rear Tray Bed LED Lighting (Combined with the Bed Liner)	-	-	-	●	●	●
Rear Bed Tie-Down Hooks x4	●	●	●	●	●	●
Rear Bed Adjustable Rail & Cleat x2	-	-	-	-	●	●
1x 240V AC Power Outlet Plug (Rear Tray Side)	-	-	-	●	●	●
Acoustic Film (Windshield)	-	-	-	-	●	●
Solar Glass (Windshield & Front Door)	-	-	-	●	●	●
Privacy Glass (Rear Windows & Tailgate)	-	-	-	-	●	●
Laminated Front Door Glass	-	-	-	-	●	●
Aero Blade Front Wipers	●	●	●	●	●	●
<b>INTERIOR FEATURES</b>						
Seating Configuration	5 seats					
Interior Seat Trim	Cloth			Cloth & Composite Leather		Composite Leather
Composite Leather 4-Spoke Steering Wheel	●	●	●	●	●	●

# Specifications (continued)

## Kia Tasman - Wellside

Subject to Change

**Specifications key:**

- = included
- = not included



	TX 2WD	TX 4WD	TXR 4WD	TXS 4WD	X-LINE 4WD	X-PRO 4WD
<b>INTERIOR FEATURES CONTINUED</b>						
Steering Wheel Paddle Shifters	-	-	-	-	●	●
Heated Steering Wheel	-	-	-	-	-	●
6-Way Manual Driver Seat Incl. Height Adjust (Pumping Device)	●	●	●	●	-	-
8-Way Power Driver's Seat (Incl. 2-Way Power Lumbar Support)	-	-	-	-	●	● (With Memory Function)
4-Way Manual Front Passenger's Seat	●	●	●	-	-	-
6-Way Manual Front Passenger's Seat Incl. Height Adjust (Pumping Device)	-	-	-	●	●	-
8-Way Power Front Passenger's Seat (Incl. 2-Way Power Lumbar Support )	-	-	-	-	-	●
2nd Row Passenger Walk-In Device (on Front Passenger Seatback Side)	-	-	-	-	-	●
Seatback (60:40) Split Folding Backrest & Lower Cushion Tip-up	●	●	●	●	●	●
2nd Row Seats Manual Sliding & Reclining Function	-	-	-	-	●	●
2nd Row Centre Armrest with Cup Holder	-	-	-	-	●	●
Front Seat Headrests Adjustment (Up/Down/Sliding)	●	●	●	●	●	●
Height Adjustable Headrests (All Seats)	●	●	●	●	●	●
Height Adjustable Front Seatbelts	●	●	●	●	●	●
3-Stage Heated Front Seats	-	-	-	-	●	●
3-Stage Ventilated Front Seats	-	-	-	-	-	●
3-Stage Heated Rear Seats (2nd Row Outer Seats)	-	-	-	-	-	●
Driver & Front Passenger Seat Back With Pocket	●	●	●	●	-	-
Driver & Front Passenger Seat Back Panel With Pocket	-	-	-	-	●	●
Front Passenger's Side Centre Garnish Storage (Above Glove Box)	-	-	-	-	●	●
Centre Console Storage Box	●	●	●	●	●	●
Centre Console Lid Folding Table Feature	-	-	-	-	●	●
2nd Row Seat Under Tray Storage (45L)	●	●	●	●	●	●
1st & 2nd Row Interior Grip Handles	●	●	●	●	●	●
Interior Mood Lighting	-	-	-	●	●	●
LED Interior Lights (Front & Rear)	●	●	●	●	●	●
Alloy Pedals	-	-	-	-	●	●
Inside Door Handle - Metal Paint	●	●	●	●	●	●
Door Scuff				Standard Type		Deluxe Type
<b>COMFORT &amp; CONVENIENCE FEATURES</b>						
12.3" Colour TFT-LCD Supervision Instrument Cluster	●	●	●	●	●	●
12.3" Colour TFT-LCD Touchscreen Infotainment System	●	●	●	●	●	●
Built-in Satellite Navigation	-	-	●	●	●	●
Kia Connect - Connected Car Service (CCS)	●	●	●	●	●	●
Over-The-Air (OTA) Software Updates	●	●	●	●	●	●
Trailer Mode Page & Menus	●	●	●	●	●	●
X-Pro exclusive off-road dedicated Page incl. Ground View Monitor (GVM)	-	-	-	-	-	●

# Specifications (continued)

## Kia Tasman - Wellside

Subject to Change

**Specifications key:**

- = included
- = not included



	TX 2WD	TX 4WD	TXR 4WD	TXS 4WD	X-LINE 4WD	X-PRO 4WD
<b>COMFORT &amp; CONVENIENCE FEATURES CONTINUED</b>						
6 Speaker Audio System	●	●	●	●	●	-
8 Speaker Harman/Kardon® Premium Sound System	-	-	-	-	-	●
Android Auto™ & Apple Carplay™	●	●	●	●	●	●
Bluetooth® Multi-connection functionality	●	●	●	●	●	●
Shark Fin Antenna	●	●	●	●	●	●
1x 240V AC Power Outlet Plug (Inside Rear of Centre Console)	-	-	-	●	●	●
1x 12v Power Outlet - Centre Console Storage	●	●	●	●	●	●
2x 1st row USB Ports	●	●	●	●	●	●
2x Additional 1st row USB Chargers (Top of Dashboard)	-	-	-	-	●	●
2x 2nd row USB Chargers (1x each Front Seat-side)	-	-	-	-	●	●
Wireless Phone Fast Charging (Qi) - Front Tray	-	-	-	Single Charger	Dual Charger	
Steering Wheel Mounted Audio & Cruise Controls	●	●	●	●	●	●
Smart Cruise Control (SCC) with Stop & Go	●	●	●	●	●	●
Dual Zone Automatic Climate Control	●	●	●	●	●	●
Centre Console Rear Air Vents	-	-	-	●	●	●
Rear Seat Heating Duct	●	●	●	●	●	●
Auto Window Defog System	-	-	-	●	●	●
Smart Key & Push Button Start	●	●	●	●	●	●
Remote Central Locking	●	●	●	●	●	●
Single Power Sunroof with Safety	-	-	-	-	-	●
Front & Rear Power Windows	●	●	●	●	●	●
Auto Up/Down Safety Windows	Drivers Only			Front Windows		
Electrochromic Rear View Mirror	-	-	-	●	●	●
Sliding Sun Visors with Illuminated Vanity Mirrors	●	●	●	●	●	●
Rain Sensing Front Wipers	-	-	-	●	●	●
Low Washer Fluid Warning	●	●	●	●	●	●
<b>DIMENSIONS</b>						
Overall Length (mm)	5,410 mm					
Overall Width (mm)	1,930 mm					
Overall Height (mm)	1,870 mm		1,890 mm		1,920 mm	
Wheelbase (mm)	3,270 mm					
Minimum Ground Clearance (mm)	206 mm		224 mm		252 mm	
Approach Angle / Break Over (Ramp) Angle / Departure Angle (°)	20.0° / 23.7° / 25.0°		29.8° / 23.7° / 25.0°		32.2° / 25.8° / 26.2°	
Wading Depth (mm)	800 mm					

# Specifications (continued)

## Kia Tasman - Wellside

Subject to Change

**Specifications key:**

- = included
- = not included



	TX 2WD	TX 4WD (WITHOUT BEDLINER)	TXR 4WD	TXS 4WD	X-LINE 4WD (WITH BEDLINER)	X-PRO 4WD
<b>WELLSIDE INNER DIMENSIONS &amp; VOLUME:</b>						
Wellside Interior (Lower) Length (mm)		1,573 mm			1,512 mm	
Wellside Interior Maximum Width (mm)		1,600 mm			1,572 mm	
Wellside Interior Width Between Arches (mm)		1,194 mm			1,186 mm	
Wellside Interior Height (mm)		543 mm			540 mm	
Maximum Tray Load Volume (L, VDA)		1,212 L			1,173 L	
<b>WEIGHTS &amp; CAPACITIES</b>						
Fuel tank capacity (L)				80 L		
Towing Capacity - Braked / Unbraked (kg)				3,500 kg / 750 kg		
Max. towball download (kg)				350 kg		
Front Gross Axle Weight Rating (kg)				1,450 kg		
Rear Gross Axle Weight Rating (kg)			2,040 kg			2,002 kg
Maximum Payload Capacity (kg)	1,124 kg		1,025 kg		1,027 kg	1,013 kg
Kerb Weight (kg)	2,126 kg		2,225 kg		2,223 kg	2,238 kg
Gross Vehicle Mass (kg)				3,250 kg		
Gross Combined Mass (kg)				6,200 kg		

# Tasman Cab Chassis

## Dimensions & Specifications



# Dimensions



\*Tray is an optional accessory.



Leg Room (mm)	1 <sup>st</sup> row	1,052
	2 <sup>nd</sup> row	Fixed Seats: 915
Head Room (mm)	1 <sup>st</sup> row	1,044
	2 <sup>nd</sup> row	1,004
Shoulder Room (mm)	1 <sup>st</sup> row	1,522
	2 <sup>nd</sup> row	1,516
Cargo Bed Space (mm)	Dependent on the accessory Tray Fitted	
Minimum Ground Clearance	TX SCC, TX & TXR DCC	206

# Specifications <sup>x</sup>

## Kia Tasman - Cab Chassis

Subject to Change

**Specifications key:**

- = included
- = not included



TX 2WD SCC






TX 4WD SCC



TX 4WD DCC



TXR 4WD DCC

	TX 2WD SCC	TX 4WD SCC	TX 4WD DCC	TXR 4WD DCC
<b>BODY STYLE</b>				
Single Cab Chassis (SCC)	●	●		
Dual Cab Chassis (DCC)			●	●
<b>MECHANICAL</b>				
Engine	SmartStream In-line 4 Cyl. 2.2CRDi (Common Rail Turbo Diesel)			
Displacement (cc)	2,151 cc			
Compression Ratio	16.0 : 1			
Max. Power (kW @ rpm)	154 kW @ 3,800 rpm			
Max. Torque (Nm @ rpm)	440 Nm @ 1,750 - 2,750 rpm			
Fuel Consumption (L/100km) - 3P-WLTP Converted	8.6L / 100km	8.8L / 100km	8.7L / 100km	8.7L / 100km
CO2 Emissions (g/km) - 3P-WLTP Converted	228g / km	233g / km	230g / km	230g / km
<b>TRANSMISSION</b>				
Gearbox	8 Speed Automatic (Torque Converter)			
Shift Controller Type	Conventional Gear Shifter			
Drivetrain	Two Wheel Drive (2WD)	Four Wheel Drive (4WD) with selectable 2H (2WD High), 4H (4WD High), 4A (4WD 'Auto'), 4L (4WD Low Range Gear)		
Mechanical Locking Rear Differential (m-LD)	-	●	●	●
Drive Mode Select System (DMS)	●	●	●	●
Terrain Mode Select - Snow / Sand / Mud	-	●	●	●
<b>SUSPENSION</b>				
Front Suspension	Double Wishbone Independent Suspension			
Rear Suspension	Rigid Leaf Spring & Solid Beam Axle			
<b>WHEELS &amp; TYRES</b>				
Tyres/Wheels		265/65 R17		265/60 R17
Wheels Size / Type	 17" Steel	 17" Steel	 17" Steel	 17" Alloy
Tyre Pressure Monitoring System (TPMS)	●	●	●	●
Spare Wheel Type	Full Size Steel			Full Size Alloy
Braking System	325 mm Ventilated Front Discs & 325 mm Ventilated Rear Discs			
Electronic Parking Brake with Auto Hold	●	●	●	●
<b>STEERING</b>				
Steering System	Column-mounted Motor Driven Power Steering (C-MDPS)			
Minimum Turning Radius	6.17 m			
Steering Wheel Adjustment	Tilt and Telescopic			

# Specifications (continued)

## Kia Tasman - Cab Chassis

Subject to Change

**Specifications key:**  
 ● = included  
 - = not included



TX 2WD SCC



TX 4WD SCC



TX 4WD DCC



TXR 4WD DCC

SAFETY FEATURES	TX 2WD SCC	TX 4WD SCC	TX 4WD DCC	TXR 4WD DCC
Safety Rating		5★ ANCAP Safety Rating (2025 stamp)		
Anti-lock Braking System (ABS)	●	●	●	●
Electronic Stability Control (ESC)	●	●	●	●
Multi Collision Brake (MCB)	●	●	●	●
Trailer Stability Assist (TSA)	●	●	●	●
Integrated Trailer Brake Controller (i-TBC)	●	●	●	●
Hill Start Assist Control (HAC)	●	●	●	●
Hill Descent Control (DBC)	●	●	●	●
Emergency Stop Signal (ESS)	●	●	●	●
Forward Collision Avoidance Assist (FCA) - Car/Pedestrian/Cyclist/Junction	●	●	●	●
Blind Spot Collision Avoidance Assist (BCA)	●	●	●	●
Rear Cross Traffic Collision Avoidance Assist (RCCA)	●	●	●	●
Lane Keep Assist System (LKAS)	●	●	●	●
Lane Follow Assist (LFA)	●	●	●	●
e-Call (SOS Call) function	●	●	●	●
Highway Driving Assist (HDA)	-	-	-	●
Driver Attention Alert (DAA) with Driver In Cabin Status Monitor - Camera	●	●	●	●
Manual Speed Limit Assist (MSLA)	●	●	●	●
Intelligent Speed Limit Assist (ISLA)	●	●	●	●
High Beam Assist (HBA)	●	●	●	●
Front Driver and Passenger Airbags	●	●	●	●
Front Side Airbags	●	●	●	●
Curtain Airbags (1st row only)	●	●	-	-
Curtain Airbags (1st and 2nd row)	-	-	●	●
Front Centre Side Airbag	●	●	●	●
Front Seat Pretensions with Load Limiters	●	●	●	●
3-Point ELR Seatbelts on all seats	●	●	●	●
Seatbelt Reminders for all seats	●	●	●	●
Child Restraint Anchorage Points (2x Top Tether & 2x ISOFIX / i-Size)	-	-	●	●
Safe Exit Warning (SEW)	●	●	●	●
Rear Seat Occupant Alert	-	-	●	●
Speed Sensing Auto Door Lock	●	●	●	●
Manual Child Safety Rear Door Locks	-	-	●	●
Engine Immobiliser	●	●	●	●
Rear Parking Sensors	●	●	●	●

# Specifications (continued)

## Kia Tasman - Cab Chassis

Subject to Change

**Specifications key:**

- = included
- = not included



TX 2WD SCC



TX 4WD SCC



TX 4WD DCC



TXR 4WD DCC

EXTERIOR FEATURES	TX 2WD SCC	TX 4WD SCC	TX 4WD DCC	TXR 4WD DCC
LED Headlights (MFR Type)	●	●	●	●
Auto Light Control	●	●	●	●
LED Daytime Running Lights (DRL)	●	●	●	●
LED Combination Taillights	●	●	●	●
LED Rear Fog Lamps	●	●	●	●
Halogen Front & LED Rear Side Indicators	●	●	●	●
Side Mirror Folding Function	Manual Folding	Manual Folding	Manual Folding	Electric Folding
Electrically Adjustable Side Mirrors with Heated function	●	●	●	●
Body Coloured Exterior Door Handles	●	●	●	●
Aero Blade Front Wipers	●	●	●	●
INTERIOR FEATURES				
Seating Configuration	2 Seats		5 Seats	
Interior Seat Trim - Cloth	●	●	●	●
Composite Leather 4-Spoke Steering Wheel	●	●	●	●
6-Way Manual Driver Seat Incl. Height Adjust (Pumping Device)	●	●	●	●
4-Way Manual Front Passenger's Seat	●	●	●	●
Seatback (60:40) Split Folding Backrest & Lower Cushion Tip-up	-	-	●	●
2nd Row Seat Under Tray Storage (45L)	-	-	●	●
Front Seat Headrests Adjustment (Up/Down/Sliding)	●	●	●	●
Height Adjustable Front Seatbelts	●	●	●	●
Driver & Front Passenger Seat Back With Pocket	●	●	●	●
Centre Console Storage Box	●	●	●	●
LED Interior Lights (Front & Rear)	●	●	●	●
Inside Door Handle - Metal Paint	●	●	●	●
Standard-type Door Scuff	●	●	●	●
COMFORT & CONVENIENCE FEATURES				
12.3" Colour TFT-LCD Supervision Instrument Cluster	●	●	●	●
12.3" Colour TFT-LCD Touchscreen Infotainment System	●	●	●	●
Built-in Satellite Navigation	-	-	-	●
Kia Connect - Connected Car Service (CCS)	●	●	●	●
Over-The-Air (OTA) Software Updates	●	●	●	●
Trailer Mode Page & Menus	●	●	●	●
Audio System	4 Speaker (2 Speakers, 2 Tweeters)		6 Speaker (4 Speakers, 2 Tweeters)	
Android Auto™ & Apple Carplay™	●	●	●	●
Bluetooth® Multi-connection functionality	●	●	●	●
Shark Fin Antenna	●	●	●	●

# Specifications (continued)

## Kia Tasman - Cab Chassis

Subject to Change

**Specifications key:**

- = included
- = not included



TX 2WD SCC



TX 4WD SCC



TX 4WD DCC



TXR 4WD DCC

	TX 2WD SCC	TX 4WD SCC	TX 4WD DCC	TXR 4WD DCC
<b>COMFORT &amp; CONVENIENCE FEATURES CONTINUED</b>				
1x 12v Power Outlet - Centre Console Storage	●	●	●	●
2x 1st row USB Ports	●	●	●	●
Steering Wheel Mounted Audio & Cruise Controls	●	●	●	●
Smart Cruise Control (SCC) with Stop & Go	●	●	●	●
Dual Zone Automatic Climate Control	●	●	●	●
Rear Seat Heating Duct	-	-	●	●
Smart Key & Push Button Start	●	●	●	●
Remote Central Locking	●	●	●	●
Front & Rear Power Windows	Front	Front	●	●
Auto Up/Down Safety Windows	Drivers Only	Drivers Only	Drivers Only	Front Windows
Sliding Sun Visors with Illuminated Vanity Mirrors	●	●	●	●
Low Washer Fluid Warning	●	●	●	●
<b>DIMENSIONS (without any accessory tray fitted)</b>				
Overall Length (mm)			5,595 mm	
Overall Width (mm)			1,930 mm	
Overall Height (mm)		1,855 mm		1,870 mm
Wheelbase (mm)			3,270 mm	
Minimum Ground Clearance (mm)			206 mm	
Approach Angle / Break Over (Ramp) Angle / Departure Angle (°)			20.0° / 23.7° / 23.1°	
Wading Depth (mm)		600 mm		800 mm
<b>TUB DIMENSIONS &amp; VOLUME:</b>				
Length (mm)			Dependant on accessory tray fitted	
Width (mm)			Dependant on accessory tray fitted	
Height (mm)			Dependant on accessory tray fitted	
Maximum Tray Load Volume (L, VDA)			Dependant on accessory tray fitted	
<b>WEIGHTS &amp; CAPACITIES</b>				
Fuel tank capacity (L)			80 L	
Towing Capacity - Braked / Unbraked (kg)			3,500 kg / 750 kg	
Max. towball download (kg)			350 kg	
Front Gross Axle Weight Rating (kg)			1,450 kg	
Rear Gross Axle Weight Rating (kg)			2,040 kg	
Maximum Payload Capacity (kg)	1,365 kg	1,345 kg	1,185 kg	
Tare Weight (kg)	1,795 kg	1,905 kg	2,065 kg	
Gross Vehicle Mass (kg)	3,160 kg		3,250 kg	
Gross Combined Mass (kg)			6,200 kg	

Information contained herein is for comparative purposes only. All Tasman grades will undergo all necessary inspections when available. Until inspections are complete, all information and illustrations are based on data available at the time of publication and subject to change without notice.



Movement that inspires