

Kia Tasman



Movement that inspires



March 2026

Overseas Model Shown

Drive into a new dimension

A new dimension in off-road capability, a new dimension in space and versatility and a new dimension in refinement.

From work to play, the Kia Tasman combines everything you want in a ute and more.



Movement that inspires





Overseas Model Shown

Built for uphill battles

Tasman is Kia's first ute, but it's not our first rodeo.

We've been building some of the world's toughest military vehicles since 1973, so when we designed the Tasman, we put all of that experience into ensuring it was fit for purpose and ready for any challenge.



Tasman prototypes endured 18,000 rounds of stress testing on some of the world's most punishing terrain, from desert dunes in Dubai, to hill climbing in California and extreme off roading in Australia.

The Tasman passed its deep water wading trials in the same test facility where we put our military vehicles through their paces.



Overseas Model Shown



Overseas Model Shown



Towing Capacity

3,500kg

2.2L T Diesel

154

Max. power
kW/3,800 rpm

440

Max. torque
Nm / 1,750-2,750 rpm

Overseas Model Shown

Power and Control

At the heart of the Tasman is a powerful 2.2L turbo diesel, paired with a smooth 8-speed automatic transmission delivering 154kW of power and 440Nm of torque.

With up to 1,000kg payload, a braked towing capacity of 3,500kg and a 350kg tow ball mass rating, the Tasman is a serious towing machine.

The integrated trailer brake control automatically applies the trailer brakes, allowing you to fine-tune the braking force at the touch of a button*.

*Only applies to trailers with electric brakes.



Overseas Model Shown



Overseas Model Shown



Work smarter

Inside and out, the Tasman is packed with innovative features designed to make work and life easier with comfort in this industry leading cabin.



Overseas Model Shown

Underseat Storage



*Exclusive to TXS, X-Line & X-Pro.
**Not available with Body Coloured Fender Flares.


Overseas Model Shown

Side Storage



Overseas Model Shown

Exterior Step



*Exclusive to TXS, X-Line & X-Pro

Overseas Model Shown

Power Plug



Overseas Model Shown

Smart Safety

The Tasman protects both your passengers and pedestrians with advanced safety features, including 7 airbags, autonomous emergency braking, adaptive cruise control, lane assistance, blind spot view monitor*.

*Exclusive to X-Line & X-Pro



Overseas Model Shown

Fully loaded

Step up to a new level of refinement and technology with dual 12.3" touchscreens and twin wireless phone charging.

Optional features include heated and ventilated 8-way power seats* and dual-zone climate control. Rear passengers enjoy class-leading legroom with sliding and reclining seats.

*Ventilated Front Seats exclusive to X-Pro

**Dual Wireless Phone Chargers on X-Line & X-Pro, Single Wireless Phone Charger on TXS

***Sliding & Reclining 2nd Row Seats on X-Line & X-Pro



Overseas Model Shown



Overseas Model Shown



Overseas Model Shown

Fit for purpose

From a flatbed workhorse to a double-cab wellside for family adventures, here's a Tasman configuration for work, play and everything in between.

Endlessly practical. Infinitely configurable.



Double Cab Wellside



Single Cab Chassis



Double Cab Chassis



Kia Connect*

Stay connected to what matters.

Kia Connect is your gateway to a smarter, more connected drive, seamlessly linking your Tasman to your phone.

*Kia Connect Functions may vary by TrimTX 2WD & TX 4WD fitted with Kia Connect LiteTXS, TXR, X-Line & X-Pro fitted with Kia Connect Full.



Remote Control

Lock or unlock doors, start the engine, and set the perfect temperature—all before you step inside the Tasman. With Kia Connect, control is always in your hands, right from your phone.



Over-the-Air (OTA) Update

With Over-the-Air (OTA) updates, your vehicle's software, navigation, and features stay current. Enjoy the latest features and performance improvements. Stay on track with updated routes and points of interest for a smoother journey - all without visiting the dealership.



Remote Vehicle Management

Monitor your Tasman's status anytime, from anywhere. Kia Connect provides updates and maintenance alerts, so you're always ready for the road.



Emergency call

In case of an accident where the airbag is deployed, this feature will automatically contact the Kia Connect 24/7 call centre for your safety. The dedicated SOS button allows you to call the centre yourself if necessary.



Safety & Security

Stay protected with intelligent safety alerts and features, designed to keep you and your loved ones secure.

Your Tasman your way.

Kia Approved Tasman accessories are custom designed for the Tasman by New Zealand's leading auto accessory manufacturers.

The accessories displayed on the following pages are applicable to the latest vehicle model year. See your Kia dealer for further information.



UTEMASTER

Utemaster believes your gear should never let you down. That's why "Strong Bones" isn't just a catchphrase; it's the engineering philosophy behind the entire Utemaster range.



UTEMASTER LOAD LID™

Designed specifically for the Kia Tasman, the LOAD LID™ is an ultratough, multifunctional tray cover, engineered to carry heavy gear and withstand the toughest conditions



UTEMASTER
LOAD LID™
Rails



UTEMASTER
LOAD LID™
Central Locking



UTEMASTER
LOAD LID™
Cross Bars



UTEMASTER
LOAD LID™
Tool Mount Kit



UTEMASTER
LOAD LID™
Bike Carrier



UTEMASTER
LOAD LID™
Ladder Rack



UTEMASTER CENTURION CANOPY™

The Centurion is constructed from aluminium for superior strength and full-width access with the protection of Utemaster's Bandit Proof Locking System.



UTEMASTER
CENTURION CANOPY™
Dog Vent Kit Mount Kit



UTEMASTER
CENTURION CANOPY™
Positive Pressure Vent



UTEMASTER
CENTURION CANOPY™
Rear Camera



UTEMASTER
CENTURION CANOPY™
MuleTec Front Power Wall



UTEMASTER
CENTURION CANOPY™
Removable Shelving



UTEMASTER
CENTURION CANOPY™
Cantilever Roof Rack 200kg



4X4 ACCESSORIES

Founded in 1975, ARB is Australia's largest manufacturer and distributor of 4x4 accessories focusing on quality, reliability and practicality above all else.



ARB
BASE Rack



ARB
Kingsley Side Steps



ARB
BTC CANOPY
Roof Rack



BTC Canopy


ARB's fiberglass B.T.C canopy has extra-large, side-opening gullwing windows giving an unobstructed entrance into your wellside. Roof rack tracks come standard while the optional internal support system allows for an array of roof load accessories for carrying additional cargo.



ARB
BTC CANOPY
Canopy Vent



ARB
BTC CANOPY
Cross Bars



ARB
BTC CANOPY
Sportguard Liner



MITS ALLOY DECK

ARB MITS aluminium alloy decks and canopies are engineered to endure the demands of New Zealand's extreme environments, providing a suite of options to mount, carry and organise your gear.



ARB
MITS ALLOY DECK
Rear ladder rack and load bar



ARB
MITS ALLOY DECK
Under Tray Water Tank



ARB
MITS ALLOY DECK
Drop down side boards



MITS ALLOY CANOPY

Rorum quati vellabore, officature con cum quisse- quis sed minus. Eria vero cuptionse eatemquis quosanda nos arcime net faciet et eum aut ut eatur sam



ARB
MITS CANOPY
Spare Wheel holder



ARB
MITS CANOPY
Extending Ladder



ARB
MITS CANOPY
Jerry can holder



Designed and manufactured in Australia, HSP's mission is to create beautifully engineered products that create an effortless collaboration between the vehicle and user.



HSP Electric Roll R Cover

Secure remote controlled cover with interlocking cut-proof aluminium slats provides superior water protection. Enables the addition of HSP crossbars and ladder racks. Mannix black premium finish.



HSP Load Slide

Extends up to 75% beyond the tray with 250kg carrying capacity. Includes Heska anti-slip surface and heavy-duty sub-frame and custom-cut side rails that double as tie-down points.




HSP Armour Sports Bar

Corrosion resistant alloy construction with increased mounting options. Integrates with the Roll R Cover or can be mounted directly onto the tub.



HSP Load Rack Junior

Fully adjustable from 185mm - 260mm. 150kg Dynamic weight capacity and 300kg Static weight capacity (Evenly Distributed Weight). Works seamlessly with Roll R Cover or can be mounted directly on the tub.



HSP Load Rack Pro

Fully adjustable with 150kg dynamic weight capacity and 300kg static weight capacity (For complete kit) (Evenly Distributed Weight). Works with Roll R Cover or mounted directly on the tub.



HSP Load Bar

Dedicated roll-top rack engineered with a durable full-metal leg base and heavy-duty crossbars with integrated channels. Supports up to 80kg of dynamic load and 200kg static.



HSP Roll Mate

Manual hard roll-up, lockable tonneau cover. Offers maximum protection for your tub cargo with minimal effort.



Wheels



17-inch steel wheel TX



17-inch alloy wheel TXR



17-inch alloy wheel X-Pro



18-inch alloy wheel TXS, X-Line

Colours

TX, TXR, TXS, X-Line, X-Pro

Clear White (UD)
Colour-coded wheel arches optional

Steel Gray (KLG)

Interstellar Gray (AGT)

Aurora Black Pearl (ABP)

Tan Beige (TAM)
Colour-coded wheel arches optional

Denim Blue (DNB)

Cityscape Green (CGE)

Dimensions



Leg Room (mm)	1 st row	1,052
	2 nd row	Fixed Seats: 915 / Slide & Recline Seats: 940~830
Head Room (mm)	1 st row	1,044
	2 nd row	1,004
Shoulder Room (mm)	1 st row	1,522
	2 nd row	1,516
Cargo Bed Space (mm) (with / without bedliner)	Length (lower)	1,512 / 1,573
	Width (max)	1,572 / 1,600
	Width (wheelhouse)	1,186 / 1,194
	Height	540 / 543
	Capacity (ℓ, VDA)	1,173 / 1,212
Minimum Ground Clearance	TX, TXR & TXS / X-Line / X-Pro	206 / 224 / 252

Specifications ^x

Kia Tasman

Subject to Change

Specifications key:

- = included
- = not included



TX 2WD

TX 4WD

TXR 4WD

TXS 4WD

X-LINE 4WD

X-PRO 4WD

	TX 2WD	TX 4WD	TXR 4WD	TXS 4WD	X-LINE 4WD	X-PRO 4WD
MECHANICAL						
Engine	SmartStream In-line 4 Cyl. 2.2CRDi (Common Rail Turbo Diesel)					
Displacement (cc)	2,151 cc					
Compression Ratio	16.0 : 1					
Max. Power (kW @ rpm)	154 kW @ 3,800 rpm					
Max. Torque (Nm @ rpm)	440 Nm @ 1,750 - 2,750 rpm					
Fuel Consumption (L/100km) - 3P-WLTP Converted	8.5L / 100km		8.7L / 100km		9.0L / 100km	9.3L / 100km
CO2 Emissions (g/km) - 3P-WLTP Converted	225g / km		230g / km		237g / km	245g / km
TRANSMISSION						
Gearbox	8 Speed Automatic (Torque Converter)					
Shift Controller Type	Conventional Gear Shifter			Column-Mounted e-Shift 'Shift-By-Wire' (SBW)		
Drivetrain	Two Wheel Drive (2WD)	Four Wheel Drive (4WD) with selectable 2H (2WD High), 4H (4WD High), 4A (4WD 'Auto'), 4L (4WD Low Range Gear)				
Mechanical Locking Differential (m-LD)	-	●	●	●	●	-
Electromechanical Locking Differential (e-LD)	-	-	-	-	-	●
Drive Mode Select System (DMS)	●	●	●	●	●	●
Terrain Mode Select - Snow / Sand / Mud	-	●	●	●	●	-
Terrain Mode Select - Snow / Sand / Mud / Rock	-	-	-	-	-	●
X-TREK Mode (Low Speed Offroad Cruise Control 'Crawl' Mode)	-	-	-	-	-	●
SUSPENSION						
Front Suspension	Double Wishbone Independent Suspension					
Rear Suspension	Rigid Leaf Spring & Solid Beam Axle					
WHEELS & TYRES						
Tyres/Wheels	265/65 R17			265/60 R18		265/70 R17
Wheels Size / Type	17" Steel		17" Alloy	18" Alloy		17" Alloy (Black)
Tyre Pressure Monitoring System (TPMS)	●	●	●	●	●	●
Spare Wheel Type	Full Size Steel		Full Size Alloy	Full Size Alloy	Full Size Alloy	Full Size Alloy
Braking System	325 mm Ventilated Front Discs & 325 mm Ventilated Rear Discs					
Electronic Parking Brake with Auto Hold	●	●	●	●	●	●
STEERING						
Steering System	Column-mounted Motor Driven Power Steering (C-MDPS)					
Minimum Turning Radius	6.17 m				6.25 m	
Steering Wheel Adjustment	Tilt and Telescopic					
SAFETY FEATURES						
Safety Rating	5★ ANCAP Safety Rating (2025 stamp)				Unrated	
Anti-lock Braking System (ABS)	●	●	●	●	●	●
Electronic Stability Control (ESC)	●	●	●	●	●	●
Multi Collision Brake (MCB)	●	●	●	●	●	●
Trailer Stability Assist (TSA)	●	●	●	●	●	●

Specifications (continued)

Kia Tasman

Subject to Change

Specifications key:

- = included
- = not included



	TX 2WD	TX 4WD	TXR 4WD	TXS 4WD	X-LINE 4WD	X-PRO 4WD
SAFETY FEATURES CONTINUED						
Integrated Trailer Brake Controller (i-TBC)	●	●	●	●	●	●
Hill Start Assist Control (HAC)	●	●	●	●	●	●
Hill Descent Control (DBC)	●	●	●	●	●	●
Emergency Stop Signal (ESS)	●	●	●	●	●	●
Forward Collision Avoidance Assist (FCA) - Car/Pedestrian/Cyclist/Junction	●	●	●	●	●	●
Blind Spot Collision Avoidance Assist (BCA)	●	●	●	●	●	●
Rear Cross Traffic Collision Avoidance Assist (RCCA)	●	●	●	●	●	●
Lane Keep Assist System (LKAS)	●	●	●	●	●	●
Lane Follow Assist (LFA)	●	●	●	●	●	●
Blind Spot View Monitor (BVM)	-	-	-	-	●	●
Parking Collision Avoidance Assist (PCA) - Reverse	-	-	-	-	●	●
e-Call (SOS Call) function	●	●	●	●	●	●
Highway Driving Assist (HDA)	-	-	●	●	●	●
Driver Attention Alert (DAA) with Driver In Cabin Status Monitor - Camera	●	●	●	●	●	●
Manual Speed Limit Assist (MSLA)	●	●	●	●	●	●
Intelligent Speed Limit Assist (ISLA)	●	●	●	●	●	●
High Beam Assist (HBA)	●	●	●	●	●	●
Front Driver and Passenger Airbags	●	●	●	●	●	●
Front Side Airbags	●	●	●	●	●	●
Curtain Airbags (1st and 2nd row)	●	●	●	●	●	●
Front Centre Side Airbag	●	●	●	●	●	●
Front Seat Pretensions with Load Limiters	●	●	●	●	●	●
3-Point ELR Seatbelts on all seats	●	●	●	●	●	●
Seatbelt Reminders for all seats	●	●	●	●	●	●
Child Restraint Anchorage Points (2x Top Tether & 2x ISOFIX / i-Size)	●	●	●	●	●	●
Safe Exit Warning (SEW)	●	●	●	●	●	●
Rear Seat Occupant Alert	●	●	●	●	●	●
Speed Sensing Auto Door Lock	●	●	●	●	●	●
Manual Child Safety Rear Door Locks	●	●	●	●	●	●
Engine Immobiliser	●	●	●	●	●	●
Parking Sensors			Front & Rear		Front, Side & Rear	
Rearview Camera with Dynamic Guidelines	●	●	●	●	●	●
Surround View Monitor (SVM)	-	-	-	-	●	●
Remote Smart Park Assist (RSPA)	-	-	-	-	●	●
EXTERIOR FEATURES						
LED Headlights (MFR Type)	●	●	●	●	-	-
LED Headlights (Projection Type)	-	-	-	-	●	●

Specifications (continued)

Kia Tasman

Subject to Change

Specifications key:

- = included
- = not included



	TX 2WD	TX 4WD	TXR 4WD	TXS 4WD	X-LINE 4WD	X-PRO 4WD
EXTERIOR FEATURES CONTINUED						
Auto Light Control	●	●	●	●	●	●
LED Daytime Running Lights (DRL)	●	●	●	●	●	●
LED Combination Taillights	●	●	●	●	●	●
LED Front Fog Lights	-	-	-	●	●	●
LED Rear Fog Lamps	●	●	●	●	●	●
Front & Rear Side Indicators	Halogen Bulb Type			LED Type		
Tailgate Mounted Stop Light	●	●	●	●	●	●
Roof Rails (Bridge Type)	-	-	-	-	●	●
Side Mirror Folding Function	Manual Folding			Electric Folding		
Electrically Adjustable Side Mirrors with Heated function	●	●	●	●	●	●
Outside Mirror Puddle Lamp	-	-	-	-	●	●
Body Coloured Exterior Door Handles	●	●	●	●	●	●
Front and Rear Mudguards	-	-	-	●	●	●
Side Door Garnish	-	-	-	●	●	●
Body Coloured Fender Flares (Clear White & Tan Beige Exterior Colours only)	\$220			\$220		
Right Rear In-Fender Storage (6.3L Capacity)	-	-	-	-	● (Not available when choosing the optional body coloured fender flares)	● (Not available when choosing the optional body coloured fender flares)
Rear Bumper Corner Step	●	●	●	●	●	●
Rear Tailgate with Lift Assistance	●	●	●	●	●	●
Rear Tray Bed Liner	-	-	-	●	●	●
Rear Tray Bed LED Lighting (Combined with the Bed Liner)	-	-	-	●	●	●
Rear Bed Tie-Down Hooks x4	●	●	●	●	●	●
Rear Bed Adjustable Rail & Cleat x2	-	-	-	-	●	●
1x 240V AC Power Outlet Plug (Rear Tray Side)	-	-	-	●	●	●
Acoustic Film (Windshield)	-	-	-	-	●	●
Solar Glass (Windshield & Front Door)	-	-	-	●	●	●
Privacy Glass (Rear Windows & Tailgate)	-	-	-	-	●	●
Laminated Front Door Glass	-	-	-	-	●	●
Aero Blade Front Wipers	●	●	●	●	●	●
INTERIOR FEATURES						
Seating Configuration	5 seats					
Interior Seat Trim	Cloth			Cloth & Composite Leather		Composite Leather
Composite Leather 4-Spoke Steering Wheel	●	●	●	●	●	●
Steering Wheel Paddle Shifters	-	-	-	-	●	●
Heated Steering Wheel	-	-	-	-	-	●
6-Way Manual Driver Seat Incl. Height Adjust (Pumping Device)	●	●	●	●	-	-
8-Way Power Driver's Seat (Incl. 2-Way Power Lumbar Support)	-	-	-	-	●	● (With Memory Function)

Specifications (continued)

Kia Tasman

Subject to Change

Specifications key:

- = included
- = not included



	TX 2WD	TX 4WD	TXR 4WD	TXS 4WD	X-LINE 4WD	X-PRO 4WD
INTERIOR FEATURES CONTINUED						
4-Way Manual Front Passenger's Seat	●	●	●	-	-	-
6-Way Manual Front Passenger's Seat Incl. Height Adjust (Pumping Device)	-	-	-	●	●	-
8-Way Power Front Passenger's Seat (Incl. 2-Way Power Lumbar Support)	-	-	-	-	-	●
2nd Row Passenger Walk-In Device (on Front Passenger Seatback Side)	-	-	-	-	-	●
Seatback (60:40) Split Folding Backrest & Lower Cushion Tip-up	●	●	●	●	●	●
2nd Row Seats Manual Sliding & Reclining Function	-	-	-	-	●	●
2nd Row Centre Armrest with Cup Holder	-	-	-	-	●	●
Front Seat Headrests Adjustment (Up/Down/Sliding)	●	●	●	●	●	●
Height Adjustable Headrests (All Seats)	●	●	●	●	●	●
Height Adjustable Front Seatbelts	●	●	●	●	●	●
3-Stage Heated Front Seats	-	-	-	-	●	●
3-Stage Ventilated Front Seats	-	-	-	-	-	●
3-Stage Heated Rear Seats (2nd Row Outer Seats)	-	-	-	-	-	●
Driver & Front Passenger Seat Back With Pocket	●	●	●	●	-	-
Driver & Front Passenger Seat Back Panel With Pocket	-	-	-	-	●	●
Front Passenger's Side Centre Garnish Storage (Above Glove Box)	-	-	-	-	●	●
Centre Console Storage Box	●	●	●	●	●	●
Centre Console Lid Folding Table Feature	-	-	-	-	●	●
2nd Row Seat Under Tray Storage (45L)	●	●	●	●	●	●
1st & 2nd Row Interior Grip Handles	●	●	●	●	●	●
Interior Mood Lighting	-	-	-	●	●	●
LED Interior Lights (Front & Rear)	●	●	●	●	●	●
Alloy Pedals	-	-	-	-	●	●
Inside Door Handle - Metal Paint	●	●	●	●	●	●
Door Scuff	Standard Type			Deluxe Type		
COMFORT & CONVENIENCE FEATURES						
12.3" Colour TFT-LCD Supervision Instrument Cluster	●	●	●	●	●	●
12.3" Colour TFT-LCD Touchscreen Infotainment System	●	●	●	●	●	●
Built-in Satellite Navigation	-	-	●	●	●	●
Kia Connect - Connected Car Service (CCS)	●	●	●	●	●	●
Over-The-Air (OTA) Software Updates	●	●	●	●	●	●
Trailer Mode Page & Menus	●	●	●	●	●	●
X-Pro exclusive off-road dedicated Page incl. Ground View Monitor (GVM)	-	-	-	-	-	●
6 Speaker Audio System	●	●	●	●	●	-
8 Speaker Harman/Kardon® Premium Sound System	-	-	-	-	-	●
Android Auto™ & Apple Carplay™	●	●	●	●	●	●
Bluetooth® Multi-connection functionality	●	●	●	●	●	●
Shark Fin Antenna	●	●	●	●	●	●
1x 240V AC Power Outlet Plug (Inside Rear of Centre Console)	-	-	-	●	●	●

Specifications (continued)

Kia Tasman

Subject to Change

Specifications key:

- = included
- = not included



	TX 2WD	TX 4WD	TXR 4WD	TXS 4WD	X-LINE 4WD	X-PRO 4WD
COMFORT & CONVENIENCE FEATURES CONTINUED						
1x 12v Power Outlet - Centre Console Storage	●	●	●	●	●	●
2x 1st row USB Ports	●	●	●	●	●	●
2x Additional 1st row USB Chargers (Top of Dashboard)	-	-	-	-	●	●
2x 2nd row USB Chargers (1x each Front Seat-side)	-	-	-	-	●	●
Wireless Phone Fast Charging (Qi) - Front Tray	-	-	-	Single Charger	Dual Charger	
Steering Wheel Mounted Audio & Cruise Controls	●	●	●	●	●	●
Smart Cruise Control (SCC) with Stop & Go	●	●	●	●	●	●
Dual Zone Automatic Climate Control	●	●	●	●	●	●
Centre Console Rear Air Vents	-	-	-	●	●	●
Rear Seat Heating Duct	●	●	●	●	●	●
Auto Window Defog System	-	-	-	●	●	●
Smart Key & Push Button Start	●	●	●	●	●	●
Remote Central Locking	●	●	●	●	●	●
Single Power Sunroof with Safety	-	-	-	-	-	●
Front & Rear Power Windows	●	●	●	●	●	●
Auto Up/Down Safety Windows	Drivers Only			Front Windows		
Electrochromic Rear View Mirror	-	-	-	●	●	●
Sliding Sun Visors with Illuminated Vanity Mirrors	●	●	●	●	●	●
Rain Sensing Front Wipers	-	-	-	●	●	●
Low Washer Fluid Warning	●	●	●	●	●	●
DIMENSIONS						
Overall Length (mm)				5,410 mm		
Overall Width (mm)				1,930 mm		
Overall Height (mm)	1,870 mm				1,890 mm	1,920 mm
Wheelbase (mm)				3,270 mm		
Minimum Ground Clearance (mm)	206 mm				224 mm	252 mm
Approach Angle / Break Over (Ramp) Angle / Departure Angle (°)	20.0° / 23.7° / 25.0°				29.8° / 23.7° / 25.0°	32.2° / 25.8° / 26.2°
Wading Depth (mm)				800 mm		
WELLSIDE INNER DIMENSIONS & VOLUME:						
		(WITHOUT BEDLINER)			(WITH BEDLINER)	
Wellside Interior (Lower) Length (mm)	1,573 mm			1,512 mm		
Wellside Interior Maximum Width (mm)	1,600 mm			1,572 mm		
Wellside Interior Width Between Arches (mm)	1,194 mm			1,186 mm		
Wellside Interior Height (mm)	543 mm			540 mm		
Maximum Tray Load Volume (L, VDA)	1,212 L			1,173 L		

Specifications (continued)

Kia Tasman

Subject to Change

Specifications key:

- = included
- = not included



	TX 2WD	TX 4WD	TXR 4WD	TXS 4WD	X-LINE 4WD	X-PRO 4WD
WEIGHTS & CAPACITIES						
Fuel tank capacity (L)	80 L					
Towing Capacity - Braked / Unbraked (kg)	3,500 kg / 750 kg					
Max. towball download (kg)	350 kg					
Front Gross Axle Weight Rating (kg)	1,450 kg	1,450 kg	1,450 kg	1,450 kg	1,450 kg	1,450 kg
Rear Gross Axle Weight Rating (kg)	2,040 kg	2,040 kg	2,040 kg	2,040 kg	2,040 kg	2,002 kg
Maximum Payload Capacity (kg)		1,025 kg		1,025 kg	1,027 kg	1,013 kg
Tare Weight (kg)	2,225 kg	2,225 kg	2,225 kg	2,225 kg	2,223 kg	2,238 kg
Gross Vehicle Mass (kg)	3,250 kg	3,250 kg	3,250 kg	3,250 kg	3,250 kg	3,250 kg
Gross Combined Mass (kg)	6,200 kg	6,200 kg	6,200 kg	6,200 kg	6,200 kg	6,200 kg



Movement that inspires